



Magswitch Technology, Inc.  
 8774 Yates Dr. Suite 140  
 Westminster, CO 80031  
 Magswitch.com.au  
 303-468-0662

# Magswitch MagMount 400


## P/N: 8100523

The Magswitch MagMount is a single lever operation switchable magnet that allows for easy movement and placement of a tool. The top mount magnets feature two magnets are ideal for supporting fixtures over a distance. The fixed bar magnet is for flat steel, the swivel bar magnet is for round or uneven shapes.

**WARNING!**  
**Do Not Operate Unless In**  
**Contact With Ferrous Target**



SPECIFICATIONS	
<b>P/N: 810523 - MAGSWITCH MagMount 400</b>	
Max Breakaway*	400 lbs/182 kg
Full Saturation Thickness	1/4" / 6mm
Net Weight	1.2 lbs/0.5 kg
Overall Height	65 mm
Magnetic Pole Footprint	64mm x 41.26mm




**WORKING SURFACE**



Part Number 110936  
 Revision Date: June 26, 2012

\* Max Breakaway determined in laboratory environment on 2" thick SAE1018 Steel with surface roughness 63 micro inches. Many factors contribute to the actual breakaway force in each application. Always test the magswitch in each application before deployment. Refer to the magswitch information booklet for more information.

### Magswitch MagMount 400 Breakaway Data vs. Thickness



Part Number 110936  
Revision Date: June 26, 2012



Part Number 110936  
 Revision Date: June 26, 2012

